

8500 liters tank i rustfritt stål 304



71 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Tank comes from the coffee industry, still residue from the previous product in the tank.

Volumetric volume (L): 8.500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: strong conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Insulation material: Rockwool

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 304

Gasket manway(s): unknown

Valve: RVS 304

Gasket shut-off valve (mat): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851

Total outlet valve: yes

Insulation body: yes

Insulation bottom/sides: yes

finish of the outer jacket: welded

Insulation thickness: 50

Internal diameter tank: 1.700 mm

Distance from outlet to ground: 500 mm

Outer diameter tank: 1.850 mm

Cylinder height: 3.540 mm

Total height of tank: 5.850 mm



Empty weight tank: 900

SKU: 489513

Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: isolert

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tanken kommer fra kaffeindustrien, fortsatt rester fra det forrige produktet i tanken.

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Type bunn: sterk konisk

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 8500



Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Tankutløp: innvendig Ø 50 mm
Teknisk tegning finnes: Nei, det er det ikke.
Utløpstype: DIN11851
Utløpsventil: Ja

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304
Isolasjonsmateriale: Rockwool
Utvendig kledning: RVS 304

Tankdimensjoner

Sylinderhøyde: 3 540 mm
Innvendig diameter: 1 700 mm
Mål utløp til bakken: 500 mm
Total høyde: 5 850 mm
Ytre diameter: 1 850 mm

Tykkelse på ytterbekledning og isolasjon

Finish utvendig kappe: sveiset
Isolasjon bunn/gavler: Ja
Isolasjon kappe: Ja
Isolasjonsmateriale: Rockwool

Mer

Isolasjonstykkelse OW: 50
Isolert: Ja
Vekt: 900