

9000 liters tank i rustfritt stål 304



82 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 9.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: conical



Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 adjustable feet

Insulation material: Rockwool

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 480 mm

Tank outlet: inside Ø 80 mm

Agitator: no, optional

Internal diameter tank: 2.280 mm

Outer diameter tank: 2.480 mm

Cylinder height: 2.250 mm

Total height of tank: 4.100 mm

Empty weight tank: 950

SKU: 475108



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Tankens form: sylindrisk
Total uttapping: Ja
Type bunn: konisk
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 9000

Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Tankutløp: innvendig Ø 80 mm
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304
Isolasjonsmateriale: Rockwool
Utvendig kledning: RVS 304

Tankdimensjoner

Sylinderhøyde: 2 250 mm
Innvendig diameter: 2 280 mm
Total høyde: 4 100 mm
Ytre diameter: 2 480 mm



Tykkelse på ytterbekledning og isolasjon

Isolasjonsmateriale: Rockwool

Mer

Isolert: Ja

Vekt: 950