



9000 liters tank i rustfritt stål 304



156 000 SEK /st exkl moms

Additional information: Sterile tank in a dairy; Double jacket with trickle ring - only suitable for cooling; 1 former connection in the upper bottom welded shut; connections partially deflected; weld seam of the double jacket has partially come loose in the upper cylinder area (see photos); pipe end cut flush

Volumetric volume (L): 9.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 145 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 80

Top: 6 mm

Cylinder: 8 mm

Bottom: 8,40 mm

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.044 mm

Cylinder height: 2.500 mm

Total height of tank: 4.350 mm

SKU: 429146

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 145 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Steril tank i et meieri; Dobbel kappe med dryppring – kun egnet for kjøling; 1 tidligere tilkobling sveiset igjen i øvre bunn; tilkoblinger delvis avskåret; sveisesøm på den doble

Øvrig informasjon2: kappen har delvis løsnet i det øvre sylinderområdet (se bilder); rørenden er kuttet i flukt

Omrører: Nei

Overtrykk: 3,50 bar

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 9000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 2 500 mm

Innvendig diameter: 2 000 mm

Total høyde: 4 350 mm

Ytre diameter: 2 044 mm

**Tanktykkelse**

Bunn: 8,40 mm

Sylinder: 8 millimeter

Topp: 6 millimeter

Mer

Isolert: Nei