

9670 liters tank i rustfritt stål 304



345 000 SEK /st exkl moms

Additional information: Chemistry; 4 support brackets, Fe; external parts of the manhole cover partly made of Fe; 1 Half coil heater connection cut off (see photos); some residues of previous content

Volumetric volume (L): 9.670 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 200 L

Max Overpressure: 6 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 256

Power: 7,50

Top: 8 mm

Cylinder: 8 mm

Bottom: 6 mm

Internal diameter tank: 2.000 mm

Cylinder height: 2.500 mm

Total height of tank: 4.900 mm

SKU: 422927



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 200 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kjemi; 4 støttebraketter, Fe; utvendige deler av kumlokk delvis laget av Fe; 1 halvspolevarmertilkobling kuttet av (se bilder); noen rester av tidligere innhold; vi kan ikke gi noen

Øvrig informasjon2: garantier om omrøreren

Omrører: Ja

Overtrykk: 2 barer

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 9670

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 2 500 mm

Innvendig diameter: 2 000 mm

Total høyde: 4 900 mm

Omrører

Effekt (kW): 7,50

Turtall: 256

Tanktykkelse

Bunn: 6 millimeter

Sylinder: 8 millimeter

Topp: 8 millimeter

Mer

Isolert: Nei