

9959 liter tank i rustfritt stål 304





214 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: Holvrieka pressure tank in very good condition.

Volumetric volume (L): 9.959 L

Ra inner weld: 0,80

Finish stainless steel: 2B

Pressure in tank: pressure

Design pressure (Bar): 12 Bar

Max. pressure (Bar): 7,50 Bar

Min. pressure (Bar): 0,02 Bar

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 440 mm

Outlet type: DIN11851

Agitator: no, optional

Distance from outlet to ground: 670 mm

Outer diameter tank: 2.340 mm

Cylinder height: 1.750 mm

Total height of tank: 4.950 mm

Empty weight tank: 1.200

SKU: 568124

Mer information



Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: trykk
Designtrekk for tanken: 12 barer
Finish rustfritt stål: 2b
Konfiguration: enkelthudet
Maks. arbeidstemperatur: 95 °C
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Holvrieka trykktank i meget god stand.
Omrører: Nei
Overtrykk: 7,50 Bar
Ra innvendig sveis: 0,80
Tankens form: sylindrisk
Total uttapping:
Type bunn: tallerken
Undertrykk (vakuum): 0,02 bar
Trykktank: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304L (V2A)
Volum i liter: 9959

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Ja
Næringsmiddelgodkjent: Ja
Teknisk tegning finnes: Nei, det er det ikke.
Utløpstype: DIN11851

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304



Tankdimensjoner

Sylinderhøyde: 1750 mm

Mål utløp til bakken: 670 mm

Total høyde: 4 950 mm

Ytre diameter: 2340 mm

Mer

Isolert: Nei

Vekt: 1.200